

Attachment B to December 1, 2001 annual report of Nicotine Yield Rating Information
submitted by Philip Morris to the Massachusetts Department of Public Health



The Commonwealth of Massachusetts
Executive Office of Health and Human Services
Department of Public Health
250 Washington Street, Boston, MA 02108-4619

ARGEO PAUL CELLUCCI
Governor

JANE SWIFT
Lieutenant Governor

WILLIAM D. O'LEARY
Secretary

HOWARD K. KOH, MD, MPH
Commissioner

March 15, 2001

Dr. Jane Lewis
Vice President, Scientific Technical Services
Philip Morris Research, Development & Engineering
2000 Bells Road
Gate-S/Door 100
Richmond, VA 23234

Dear Dr. Lewis:

The Massachusetts Department of Public Health has selected the following additional brands, to be sampled and tested in accordance with 105 CMR 660.102(A)(1). Nicotine rating information gathered for these brands should be submitted as part of the December 2000 report.

Benson & Hedges 100 F SP LT MEN
Benson & Hedges 100 F HP LT MEN
Benson & Hedges 100 F HP Deluxe UL
Benson & Hedges 100 F SP MEN
Merit K F SP Ultima
Merit 100 F SP
Merit 100 F SP UL
Parliament K F HP LT MEN

Parliament 100 F SP LT
Parliament K F HP LT
Virginia Slims 120 F HP LT Slim
Virginia Slims 100 F HP UL Slim
Virginia Slims 100 F HP Super Slim
Virginia Slims 100 F SP Slim
Virginia Slims 100 F HP LT Slim

In addition, the following sub-brands have been selected for testing of pH on a puff-by-puff basis, as required pursuant to 660.102(B)(5) based on overall market share. These are the same brands tested for 1998 and 1999:


Marlboro KFHP LT
Marlboro KFHP MEN Milds

Marlboro KFHP LT MEN
Benson & Hedges 100 F HP LT MEN

Marlboro KFHP UL
Parliament K F HP LT MEN

Please notify the Department as soon as possible if any of the above brand styles have been discontinued, and we will provide you with an alternative. If you should have any further questions, contact Geoffrey Wayne at (617) 624-5906.

Sincerely,



Gregory N. Connolly, D.M.D., M.P.H.
Director, MA Tobacco Control